




NE 1/4 S26 T20N R06E, W.M.  
KING COUNTY, WASHINGTON




**SEDIMENT TRAP CROSS SECTION**




**TEMPORARY INTERCEPTOR DITCH DETAIL**




**CB PROTECTION**



**STANDARD SILT FENCE DETAIL**



**STANDARD CONSTRUCTION ENTRANCE DETAIL**



**ROCK CHECK DAM DETAIL**

- CHECK DAM NOTES
1. THE MAXIMUM SPACING BETWEEN THE DAMS SHALL BE SUCH THAT THE TOE OF THE UPSTREAM DAM IS AT THE SAME ELEVATION AS THE TOP OF THE DOWNSTREAM DAM.
  2. ROCK CHECK DAMS SHALL BE CONSTRUCTED OF 2- TO 4- INCH DIAMETER QUARRY SPALLS. THE QUARRY SPALLS MUST BE PLACED BY HAND OR MECHANICAL PLACEMENT (NO DUMPING OF SPALLS TO FORM DAM) TO ACHIEVE COMPLETE COVERAGE OF THE DITCH OR SWALE AND TO INSURE THAT THE CENTER OF THE DAM IS LOWER THAN THE EDGES.
  3. IN THE CASE OF GRASS-LINED DITCHES AND SWALES, CHECK DAMS SHALL BE REMOVED WHEN THE GRASS HAS MATURED SUFFICIENTLY TO PROTECT THE DITCH OR SWALE. THE AREA BENEATH THE CHECK DAMS SHALL BE SEEDED AND MULCHED IMMEDIATELY AFTER DAM REMOVAL.
  4. CHECK DAMS SHALL BE CHECKED FOR SEDIMENT ACCUMULATION AFTER EACH SIGNIFICANT RAINFALL. SEDIMENT SHALL BE REMOVED WHEN IT REACHES ONE HALF OF THE ORIGINAL DAM HEIGHT OR BEFORE.

This is for design concept only. These plans appear to be in conformity with the City of Enumclaw design standards for construction. This approval should not be construed as authorizing construction not in accordance with applicable City standards. The owner and/or owner's representatives shall be responsible for compliance with all applicable standards. The City reserves the right to require revisions to approved plans and/or construction and modifications to assure compliance with City of Enumclaw design standards for construction at any time that it is discovered that the proposed construction does not otherwise meet with applicable construction standards. The owner is required to provide designs and plans in accordance with applicable City standards and assure that construction is accomplished in accordance with those standards. The owner and/or design engineer and/or developer, as the case may be, may be required to make necessary approved field revisions to correct any errors or omissions found to exist on the approved plans.

APPROVED FOR CONSTRUCTION


Lindsey Winborn, P.E.  
City Engineer  
City of Enumclaw

Date: \_\_\_\_\_

Plans reviewed by: \_\_\_\_\_

Plans reviewed by: \_\_\_\_\_

CALL 48 HOURS BEFORE YOU DIG  
1-800-424-5555



DESIGNED BY: D. ALFREDSON  
DRAWN BY: D. ALFREDSON

ENGINEER: PLAT & SITE CIVIL DESIGN, LLC  
37702 280th Pl SE  
ENUMCLAW, WA 98022 (253) 334-6880  
APPLICANT: ROGER FRANKLIN  
42022 196th Ave SE  
ENUMCLAW, WA 98022  
OWNER: ROGER FRANKLIN  
42022 196th Ave SE  
ENUMCLAW, WA 98022

**CEDAR RIVER ACADEMY**  
PERMIT NO. 08-113  
PARCEL 262006 9082  
445 SEMANSKI ST

STORMWATER POLLUTION PREVENTION DETAILS